

**AQA**

**A Level**

# A Level Physics

Particles

Name:



Mathsmadeeasy.co.uk

Total Marks: /30



1. This question explores the fundamental forces that are invoked in the standard model and that act at the quantum level.

Total for Question 1: 10

- (a) State the three fundamental interactions that are described by the Standard Model. [2]

- (b) Describe the nature of the strong nuclear force and sketch a graph to show its variation with distance. [4]



(c) Explain the repulsion between two positively charged particles in terms the quantum-scale interactions and exchange particles. [2]

(d) Calculate the wavelength of a 5.0 MeV photon. [2]

[www.megalecture.com](http://www.megalecture.com)



2. This question will assess your knowledge of the classification of particles and of the transformations that can take place between these classes.

Total for Question 2: 14

- (a) In the Standard Model, all particles can be classified as either leptons, mesons, baryons or photons. [3]  
Give an example of a lepton and a baryon and, if either are not fundamental particles, state what they are made of.

- (b) Express the  $\beta^+$  decay equation in terms of the transformation of hadrons and leptons. [2]

- (c) Express the  $\beta^-$  decay equation in terms of the transformation of fundamental particles. [2]



(d) State the charges on the following quarks and their antiparticles. [3]  
i. Up

ii. Strange

iii. Down

(e) By considering the charge of the individual quarks involved, show that the net charges of a proton and an anti-proton are of equal magnitude but opposite polarity. [1]

(f) Muons are created by cosmic rays high in the atmosphere (at altitudes of about 15000 m) and should have a lifetime of approximately  $2 \mu\text{s}$ . Briefly explain why a muon, with a velocity of  $29.8 \text{ cmns}^{-1}$ , can be observed at sea level. [3]



3. Reactions and interactions can be represented by both equations and diagrams. Just as in classical Newtonian mechanics, there are conservation laws that can be used to ascertain whether a certain reaction can take place.


Total for Question 3: 6

(a) State the quarks that a  $K^+$  particle is made from. [1]

(b)  $K^+$  decays via the weak interaction to produce three pions. Which pions are produced? [1]

(c) Show that strangeness is not conserved in this reaction. [1]

(d) Sketch a Feynman diagram to illustrate the reaction below. The exchange particle for this reaction is the  $W^-$  particle. [3]





[www.megalecture.com](http://www.megalecture.com)