
#### **NUST Past Paper – Computer Sciences**

Total Time: 3 Hrs Total Question: 200

- 1. If x=9 is a chord of contact of the hyperbola  $x^2 y^2 = 9$  then the equation of the tangent at one of the points of contact is
  - a.  $X + \sqrt{3y} + 2 = 0$
  - b.  $3X 2\sqrt{2y} 3 = 0$
  - c.  $3X \sqrt{2y} + 6 = 0$
  - d. X + 2 = 0
- 2. The range of the function  $\cos 1/3x$  is
  - a. [-1,1]
  - b. [-1/3,1/3]
  - c. [-3,3]
  - d. None
- 3. The set of all real number between 1 and 2, what its set ouilder notation
  - a.  $\{x \mid x \in R \land | < x < 2\}$
  - b.  $\{x \mid x \in R \land | \le x \le 2 \}$
  - c.  $\{x \mid x \in R \land | > x > 2\}$
  - d.  $\{x \mid x \in R \land | \geq x \geq 2 \}$
- 4. A circle of radius 4, drawn on a chora of the parabola  $y^2 = 8x$  as diameter, touches the axis of the parabola, then the slope of the thord is
  - a. 1/2
  - b. ¾
  - c. 1
  - d. 2
- 5. If the circle  $x^2 + y^2 + x 6y + c = 0$  bisects the circumference of the circle  $y^2 + y^2 6y + 4y 12 = 0$ , then
  - a. 16
  - b. 24
  - c. -42
  - d. -62
- 6. (a ,0) and (b,0) are centers of two circles belonging to a co-axial system of which y-axis . if; then radius of one of the circles is 'r' . then the radius of the other circle is
  - a.  $(r^2 + b^2 + a^2)^{1/2}$
  - b.  $(r^2 + b^2 a^2)^{1/2}$
  - c.  $(r^2 + b^2 a^2)^{1/3}$
  - d.  $(r^2 + b^2 + a^2)^{1/3}$



- 7. If the length of the tangent form (h , k) to the circle  $x^2+y^2=16$  is twice the length of the tangent from the same point to the circle  $X^2+y^2+2X+2y=0$ , then
  - a.  $h^2 + k^2 + 4h + 4k + 16 = 0$
  - b.  $h^2 + k^2 + 3h + 3k = 0$
  - c.  $3h^2 + 3k^2 + 8h + 8k + 16 = 0$
  - d.  $3h^2 + 3k^2 + 4h + 4k + 16 = 0$
- 8.  $\{x \mid x \in Q \land 0 \le x \le 1 \}$ 
  - a. Finite set
  - b. Infinite set
  - c. Empty set
  - d. Ф
- 9. The circle passing through (1,-2) and touching the axis of the x at (3,0) also passes through the point
  - a. (2, -5)
  - b. (5, -2)
  - c. (-2, 5)
  - d. (-5,2)
- 10. ABCD is a trapezium such that AB and CD are parallel and BC  $\perp$  CD. If  $\angle ADB = \Theta$ , BC = p CD = q, then AB is equal to
  - a.  $p^2 + q^2 \cos\Theta/p\cos\Theta + q\sin\Theta$
  - b.  $p^2 + q^2 / p^2 \cos\theta + q^2 \sin\theta$
  - c.  $p^2 + q^2 \sin\Theta/(p\cos\Theta + q\sin\Theta)^2$
  - d.  $p^2 + q^2 \sin\Theta/p\cos\Theta + q\sin\Theta$
- 11. The shaded region of the event diagram.



Is represented by?

- a. A'
- b. B'
- c. A-B
- d. B-A
- 12. All the students of a class performed poorly in mathematics. The teacher decided to give a grace marks of 10 to each of the students. Which of the following statistical measures will not change even after the grace marks were given?
  - a. Median]




- b. Mole
- c. Variance
- d. Mean
- 13. If x,y,z are in A.P. and tan-1x, tan-1y, tan-1z are also in A.P. then
  - a. 2x=3y=6z
  - b. 6x=3y=2z
  - c. 6x=4y=3z
  - d. X=y=z
- 14. If  $\int f(x)dx = \Psi(x)$ , then  $\int x^5 f(x^3) dx$  is equal to
  - a.  $\frac{1}{3} x^3 \psi(x^3) 3 \int x^3 \psi(x^3) dx + c$
  - b.  $\frac{1}{3} x^3 \psi(x^3) \int x^2 \psi(x^3) dx + c$
  - c.  $\frac{1}{3} [x^3 \psi(x^3) \int x^3 \psi(x^3) dx] + c$
  - d.  $\frac{1}{3} [x^3 \psi(x^3) \int x^2 \psi(x^3) dx] + c$
- 15. The equation of the circle passing through the foci of the ellipse  $x^2/16 + y^2/9 = 1$ , and having center at (0,3) is
  - a.  $X^2 + Y^2 6y + 7 = 0$
  - b.  $X^2 + Y^2 6y 5 = 0$
  - c.  $X^2 + Y^2 6y + 5 = 0$
  - d.  $X^2 + Y^2 6y 7 = 0$
- 16. The x-coordinate of the in c enter of the triangle that has the coordinates of mid points of its sides as(0,1)(1,1) and and(1,0)
  - a.  $2-\sqrt{2}$
  - b.  $1+\sqrt{2}$
  - c.  $1-\sqrt{2}$
  - d.  $2+\sqrt{2}$
- 17. Intercepts on x axis is made by tangents to the curve  $y = 0 \int x|t|dt$ , xEER, which are parallel to line y = 2x, are equal to
  - a.  $\pm 2$
  - b. ±3
  - c.  $\pm 4$
  - $d. \pm 1$
- 18. The sum of first 20 team of sequence 0.7,0.77,0.777,....is
  - a. 7/9(99-10<sup>-20</sup>)
  - b.  $7/81(179 + 10^{-20})$
  - c.  $7/9(99+10^{-20})$
  - d. 7/81(179 -10<sup>-20</sup>)
- 19. Consider statement -1: (p  $\Lambda$ q)  $\Lambda$  (-p $\Lambda$  q) is a fallcy.

Statement-2:  $(p \rightarrow q) \leftrightarrow (\sim q \rightarrow \sim p)$  is a tautology.



- a. Statement 1 is true and statement 2 is true. Statement 2 is not a correct explanation for statement 1
- b. Statement 1 is true and statement 2 is false.
- c. Statement 1 is false and statement 2 is true.
- d. Statement 1 is true and statement 2 is true. Statement 2 is a correct explanation for statement 1
- 20. The area (in square units) bounded by the curves  $y=\sqrt{x}$ , 2y-x+3=0 x-axis, and lying in the first quadrant is
  - a. 36
  - b. 18
  - c. 27/4
  - d. 9
- 21. The expression [tanA/1-cotA]+[cotA/1-tanA] can be written as
  - a. secA cosec A+1
  - b. tanA + cotA
  - c. secA +cosecA
  - d. sinA +cosA+1
- 22. The real number k for which the equation,  $2x^3 + 3x + k = 0$  has two distinct real roots in [0, 1].
  - a. Lies between 2 and 3
  - b. Lies between -1 and 0
  - c. Does not exist
  - d. Lies between 1 and 2
- 23. Lim  $x \rightarrow 0$  (i-cos2x)(3+cosx)/xtan4x is equal to
  - a. ½
  - b. 1
  - c. 2
  - d. -1/4
- 24. If  $x \in B' = u-B'$  then,
  - a.  $X \in B$  and  $X \in U$
  - b. X ∉ B and X € U
  - c. X ∈ B and X ∉ U
  - d. X ∉ B and X ∉ U
- 25. At present, a firm manufacturing 2000 items, it is estimated that the rate of change of production P w.r.t additional number of workers x is given by dP/dx =100 -12 $\sqrt{x}$ . If the firm employs 25 more workers, then the new level of production of items is
  - a. 3000
  - b. 3500
  - c. 4500
  - d. 2500



is the adjoint of a 3 x3 matric A and |A|=4 then  $\alpha$  is equal to



- a. 11
- b. 2
- c. 0
- d. 4
- 27. The number of values of k, for which the system of equations

(K+1)x +8y=4k

Kx+(k+3)y = 3 k-1 has no solution

- a. 1
- b. 2
- c. 3
- d. Infinite
- 28. If  $y = \sec(\tan^{-1}x)$ , then dy/dx at x = 1 is equal to
  - a. ½
  - b. 1
  - c.  $\sqrt{2}$
  - d.  $1/\sqrt{2}$
- 29. If the lines x-2/1=y-3/1=z-4/-k and x-1/k=y-2/2=z-5/1 are coplanar, then k can have
  - a. Exactly one value
  - b. Exactly two value
  - c. Exactly three value
  - d. Any value
- 30. L U M = $L \cap M$  then L is equal to
  - a. M
  - b. L
  - c. (
  - 4 14
- 31. If the vector AB = 3i + 4k and AC = 5i 2j + 4k are the sides of a triangle ABC, then the length of the median through A is
  - a.  $\sqrt{72}$
  - b.  $\sqrt{33}$
  - c.  $\sqrt{45}$
  - d.  $\sqrt{18}$
- 32. A multiple choice examination has 5 questions. Each question has three alternative answers of which exactly one is correct. The probability that a student will get 4 or more correct answers just by guessing is
  - a.  $13/3^5$
  - b.  $11/3^5$



- c.  $10/3^5$
- d.  $17/3^5$
- 33. If z is a complex number of unit modulus and argument  $\Theta$ , then  $arg(1+z/1+\overline{z})$  equals
  - a.  $\pi/2 \Theta$
  - b. Θ
  - c. π θ
  - d. -Θ
- 34. If the equation  $x^2 + 2x + 3 = 0$  and  $ax^2 + bx + c = 0$  a,b,c,  $\in \mathbb{R}$ , have a common root, then a:b:c is
  - a. 3:2:1
  - b. 1:3:2
  - c. 3:1:2
  - d. 1:2:3
- 35. Distance between two parallel planes 2x + y + 2z = \* and 4x + 2y + 4Z + 5 = 0 is
  - a. 5/2
  - b. 7/2
  - c. 9/2
  - d. 3/2
- 36. If X EY are two set and n(x) = 18, n(y) = 24  $n = (X \cup Y) = 40$  then  $n = (X \cap Y) = 18$ 
  - a. 3
  - b. 4
  - c. 2
  - d. 6
- 37. The area of the triangle formed by the tangent at (3,4) to the circle  $X^2 + Y^2 = 25$  and coordinates axes is
  - a. (24/25) sq unit
  - b. 0 sq unit
  - c. (625/24) sq unit
  - d. -(24/25) sq unit
- 38. Which of the following function has period 2  $\pi$ ?
  - a.  $Y=\sin(2 \pi t + \pi/3) + 2\sin(3 \pi t + \pi/4) + 3\sin 5\pi t$
  - b.  $Y = \sin(\pi/3)t + \sin(\pi/4)t$
  - c.  $Y = \sin t + \cos 2t$
  - d. None of these
- 39. Two bodies of masses m and 4m are moving with equal momentum. The ratio of their K.E is
  - a. 1:4
  - b. 4:1
  - c. 1:1
  - d. 1:2
- 40. The line y; = mx+1 is a tangent to the parabola  $y^2 = 4x$ , if ;
  - a. M=1
  - b. M=2



- c. M=4
- d. M=3
- 41. Let D be the middle point of the side BC of a triangle ABC. If the triangle ADC is equilateral, then  $a^2:b^2:c^2$  is equal to
  - a. 1:4:3
  - b. 4:1:3
  - c. 4:3:1
  - d. 3:4:1
- 42. It A and B are any two sets and A', B' are their complements relative to the universal set U, then  $(A \cap B)$  and  $(A \subset B)'=?$ 
  - a. (A' ∩B')
  - b. (A'UB)
  - c. (A ∩B')
  - d. (A' U B')
- 43. The projection of the vector I 2j+k on the vector 4i -4j +7k is equal to
  - a. 19/9
  - b. 9/19
  - c.  $\frac{\sqrt{3}}{19}$
  - d.  $19/\sqrt{3}$
- 44. Let a =2i j +k , b= i+2j k and ci +j+2k be three vectors .A vector in the plane of b and c whose projection a is of magnitude  $\frac{\sqrt{2}}{3}$  is
  - a. 2i +3j+3k
  - b. 2i +3j-3k
  - c. 2i +j+5k
  - d. 2i -j+5k
- 45. The value of k for which the vectors a =1i-1j and b 2i +kj are collinear is
  - a. 2
  - b.  $\frac{1}{2}$
  - c. 1/3
  - d. 3
- 46. The area of a parallelogram whose adjacent sides are determined by the vectors a = 1i + 2j + 3k and b = -3i 2j + k is equal to
  - a.  $8\sqrt{5}$
  - b.  $9\sqrt{5}$
  - c.  $6\sqrt{5}$
  - d.  $17\sqrt{15}$
- 47. A uniform ladder rests in limiting equilibrium with its lower end on a rough horizontal plane and its upper end against a smooth vertical wall  $\Theta$  is an angle of inclination of the ladder to the vertical wall and  $\mu$  is the coefficient of friction, then tan  $\Theta$  is equal to



- a.  $\mu$
- b. 2 *μ*
- c.  $3 \mu / 2$
- d.  $\mu + 1$
- 48. The value of  $\lim x \rightarrow \infty (3x-4/3x+2)^{x+1/3}$  is equal to
  - a.  $e^{-1/3}$
  - b.  $e^{-2/3}$
  - c. e<sup>-1</sup>
  - d. e<sup>-2</sup>
- 49. if  $f(x) = (x+1)^{cotx}$  be continuous at x=0, then f(0) is equal to
  - a. 0
  - b. -e
  - c. e
  - d. none of these
- 50. Ly =  $(\cos x^2)^2$ , then dy/dx is equal to
  - a.  $-4x \sin 2x^2$
  - b.  $-x \sin 2x^2$
  - c.  $-2x \sin 2x^2$
  - d.  $-x \cos 2x^2$
- 51. The value of the derivative of |x-1| + |x-3| at x = 2 is :
  - a. 2
  - b. 1
  - c. 0
  - d. -2
- 52. The derivative of  $\sin^{-1}(2x/1+x^2)$  with respect to  $\cos^{-1}(1-x^2/1+x^2)$  is equal to
  - a. 1
  - b. -1
  - c. 2
  - d. None
- 53. The minimum value of function  $f(X) = 3x^4 8x^3 + 12x^2 48x + 25$  on [0,3] is equal to
  - a. 25
  - b. -39
  - c. -25
  - d. 39
- 54.  $_{1}\int ^{2} e^{x}[1/x 1/x^{2}] dx$  is equal to
  - a. e((e/2)-1)
  - b. e(e-1)
  - c. 0
  - d. None
- 55. The value of the  $tan^{-1}(\frac{1}{2}) + tan^{-1}(\frac{1}{3})$  is
  - a. 0



- b.  $\pi/3$
- c. n/6
- d.  $\pi/4$
- 56. if  $^{12}p_r = 1320$ , then r is equal to
  - a. 5
  - b. 4
  - c. 3
  - d. 2
- 57. A particle is projected vertically upward takes t1 second to reach a height h. If t2 second is the subsequent time to reach the ground, then the maximum height attained is
  - a.  $(1/2)g(t1 + t2)^2$
  - b.  $(1/4)g(t1+t2)^2$
  - c.  $(1/8)g(t1 + t2)^2$
  - d. None
- 58.  $AU(B\cap C) = (AUB) \cap (AUC)$ 
  - a. Distributivity of intersection over union
  - b. Distributivity of union over intersection
  - c. Associativity of intersection over union
  - d. Associativity of union over intersection
- 59. The eccentricity of the ellipse  $9x^2 + 5y^2 30y = 0$  is equal to
  - a. 1/3
  - b. 2/3
  - C. ¾
  - d. None
- 60. The radius of the circumcircle of an isosceles triangle PQR is equal to PQ (=PR), then the angle P is
  - a. π/6
  - b.  $\pi/3$
  - c. π/2
  - d.  $2\pi/3$
- 61. If  $A=\{x,y\}$ , then the power set of A is :
  - a.  $\{x^x, y^y\}$
  - b.  $\{\emptyset, x,y\}$
  - c. { ø , {x}, {2y}}
  - d.  $\{f, \{x\}, \{y\}, \{x,y\}\}\$
- 62. G= {e,a,b,c} is an abelian group with 'e' as identity element. The order of the other elements are
  - a. 2,2,2
  - b. 3,3,3
  - c. 2,2,4
  - d. 2,3,4



- 63. The solution of the differential equation  $(x^4 dy/dx)x^3y + cosec(xy) = 0$  is equal to
  - a.  $2\cos(xy) + x^{-2} + c$
  - b.  $2\cos(xy) + y^{-2} + c$
  - c.  $2\sin(xy) + x^{-2} + c$
  - d.  $2\sin(xy) + y^{-2} + c$
- 64. Forces of magnitudes 3 and 2 unit acting in the directions 5i +3j+4k and 3i +4j -5k respectively act on a particle which is displaced from the points (1,-1,-1) to (3,3,1). The work done by the forces is equal to:
  - a.  $80\sqrt{2}unit$
  - b.  $40\sqrt{2}unit$
  - c.  $(57/5)\sqrt{2}unit$
  - d.  $8\sqrt{2}unit$
- 65. The rate of increases of bacteria in a certain culture is proportional to the number present. If it is double in 5h.then in 25 h. its number would be
  - a. 8 time the original
  - b. 16 time the original
  - c. 32 time the original
  - d. 64 time the original
- 66. If a magnitude 50 is collinear with the vector b=6i -8j-(15k/2), and makes an acute angle with the positive direction of z axis, then the vector is equal to
  - a. 24i 32j + 30k
  - b. -24i + 32j + 30k
  - c. 16i 16j -15k
  - d. -12i + 16j 30k
- 67. The value of the determinant
  - a. X
  - b. Y
  - c. Z
  - d. 0



is equal to

- 68. If a man and his wife enter in a bus, in which five seats are vacant, then the number of different ways in which they can be seated is
  - a. 2
  - b. 5
  - c. 20
  - d. 40
- 69. The differential equation of the family of curves for which the length of the normal is equal to a constant k, is given by:
  - a.  $y^2 dy/dx = K^2 y^2$



- b.  $(y dy/dx)^2 = K^2-y^2$
- c.  $Y(dy/dx)^2 = K^2 + y^2$
- d.  $(Y dy/dx)^2 = K^2 + y^2$
- 70. If  $\omega$  is a complex cube root of unity, then the value of  $\omega^{99} + \omega^{100} + \omega^{101}$  is
  - a. 1
  - b. -1
  - c. 3
  - d. 0
- 71. The root of the equation  $(q-r)x^2 + (r-p)x + (p-q)=0$  are
  - a. (r-p/q-r') x ½
  - b.  $(p-q/q-r') \times 1$
  - c.  $(q-r/p-q') \times 1$
  - d. (r-p/p-q') x ½
- 72. The value of  $\sin 10^{\circ} + \sin 20^{\circ} + \sin 30^{\circ} + \dots + \sin 360^{\circ}$  is equal to
  - a. 0
  - b. 1
  - c.  $\sqrt{3}$
  - d. 2
- - a.  $(n-1)\overline{x}$
  - b.  $n\overline{x}$
  - c. 0
  - d. None
- 74. If  $\sin^{-1}(2a/1+a^2) + \sin^{-1}(2b/1+b^2) = \tan^{-1}x$ , then x is equal to
  - a. (a-b)/(1+ab)
  - b. b/(1+ab)
  - c. b/(1-ab)
  - d. (a+b)/(1-ab)
- 75. The point of intersection of the lines X+1/3 = y+3/3 = z+5/7 and X-2/1 = y-4/3 = z-6/5 is
  - a.  $(\frac{1}{2}, \frac{1}{2}, -3/2)$
  - b.  $(-\frac{1}{2}, -\frac{1}{2}, 3/2)$
  - c.  $(\frac{1}{2}, -\frac{1}{2}, -3/2)$
  - d. (-½,½, 3/2)
- 76. The area of the circle and the area if a regular polygon of n sides and of perimeter equal to that of the circle are in the ratio of
  - a.  $Tan(\pi/n) : \pi/n$
  - b.  $cos(\pi/n) : \pi/n$
  - c.  $sin(\pi/n) : \pi/n$
  - d.  $\cot(\pi/n):\pi/n$
- 77. the graph of a quadratic equation/ function is:



- a. circle
- b. ellipse
- c. parabola
- d. hexagon
- 78. An insurance company insured 2000 scooter drivers, 4000 car drivers and 6000 truck drivers. The probability of an accident involving a scooter drivers, car drivers and truck drivers is 0.01,0.03,0.15 respectively. One of the insured persons meets with an accident. The probability that he is a scooter drivers is
  - a. 1/52
  - b. 1/53
  - c. 2/51
  - d. None
- 79. The in radius of the triangle whose sides are 3,5,6, is
  - a.  $\frac{\sqrt{8}}{7}$
  - b.  $\sqrt{8}$
  - c.  $\sqrt{7}$
  - d.  $\frac{\sqrt{7}}{8}$
- 80. The area of the region bounded by the curve y=x |x|, x-axis and the ordinates x=1,x=-1 is given by
  - a. 0 sq unit
  - b. (1/3) sq unit
  - c. (2/3) sq unit
  - d. 1 sq unit
- 81. If boiling point of water to 95°. What will be reduction at Celsius scale?
  - a. 7<sup>0</sup> C
  - b. 65° C
  - c. 63° C
  - d. 35° C
- 82. A spring constant k is cut into two equal parts. A block of mass m is attached with one part of spring .what is the frequency of block with original spring.
  - a.  $\sqrt{2\alpha}$
  - b.  $\alpha/2$
  - c. 2α
  - d. α
- 83. Why is there sudden increase in current in zener diode?
  - a. Due rupture of bonds



- b. Resistance of depletion layer becomes less
- c. Due to high doping
- d. None of these
- 84. The Coefficient of coupling between two coil of self-inductances L<sub>1</sub> and L<sub>2</sub> is unit. If means
  - a. 50% flux of L1 is linked with L2
  - b. 100% flux of L1 is linked with L2
  - c.  $\sqrt{l}$  flux of L1 is linked with L2
  - d. None
- 85. One curie is equal to
  - a. 3.7 x10<sup>6</sup> disintegration per second
  - b. 3.7 x10<sup>10</sup> disintegration per second
  - c. 3.7 x10<sup>7</sup> disintegration per second
  - d. one disintegration per second
- 86. two ball of radius R and equal mass are placed in contact then the orce of gravitational between them is proportional to
  - a.  $F \propto 1/r^2$
  - b. F∝r
  - c.  $F \propto r^2$
  - d.  $F \propto 1/r$
- 87. A water hose of internal diameter of 20mm discharge 30kg of water in 60sec. calculate speed of water (p for water is 1000kg/m³)
  - a. 1.2 m/s
  - b. 1.6m/s
  - c. 1.8m/s
  - d. 2.1m/s
- 88. Three charges  $1\mu C$ ,  $2\mu C$ ,  $3\mu C$  are kept at vertices of an equilateral triangle of side 1 m. if they are brought nearer so that they now form equilateral triangle of side 0.5m, then work done is
  - a. 11j
  - b. 1.1j
  - c. 0.011j
  - d. 0.11j
- 89. The dimensions of Planck's constant
  - a.  $M^2L^2T^{-2}$
  - b. MLT<sup>-2</sup>
  - c.  $ML^2T^{-2}$
  - d. ML<sup>2</sup>T<sup>-1</sup>
- 90. Dimension of Bulk modulus is
  - a. M<sup>-1</sup>LT<sup>-2</sup>
  - b. ML<sup>-1</sup>T<sup>-2</sup>
  - c. ML<sup>-2</sup>T<sup>-2</sup>



- d.  $M^2L^2T^{-2}$
- 91. The dot product of force and velocity is equal to
  - a. Power
  - b. Impulse
  - c. Couple
  - d. Momentum
- 92. The property of the moving object by virtue of which it excites exerts force on the object that tries to stop it is
  - a. Inertia of the body
  - b. Quantity of motion of body
  - c. Acceleration of body
  - d. All of these
- 93. Why is refractive index in a transparent medium greater than one
  - a. Because the speed of light in vacuum is always less than the speed in transparent medium
  - b. Because the speed of light in vacuum is always greater than the speed in transparent medium
  - c. Frequency of wave changes when it crosses medium
  - d. None of them
- 94. If the length of tube is less and cannot accommodate the maximum rise of liquid then
  - a. Liquid will form fountain
  - b. Liquid will not rise
  - c. The meniscus will adjust itself so that the water does not spil
  - d. None
- 95. A ball is dropped from height 20m. If coefficient of restitution is 0.9. what will be the height attained after 1<sup>st</sup> bounce
  - a. 1.62m
  - b. 16.2m
  - c. 18m
  - d. 14m
- 96. In the phenomena of diffraction of light , when blue light is used in the experiment in spite of red light, then
  - a. Fringes will become narrower
  - b. Fringes will become broader
  - c. No changes in fringe width
  - d. None
- 97. Average power generated in an inductor connected to an AC source is
  - a. ½ Li<sup>-2</sup>
  - b. Li<sup>2</sup>
  - c. 0
  - d. None



#### WWW.MEGALECTURE.COM

- 98. A disc is rolling on the inclined plane, what is the ratio of its rotational K.E to the total K.E
  - a. 1:3
  - b. 3:1
  - c. 1:2
  - d. 2:1
- 99. Which is non central force
  - a. Electrostatic force
  - b. Nuclear force
  - c. Gravitational force
  - d. None
- 100. When the maximum K.E of a simple pendulum is k. Then what is its displacement ( in terms of amplitude  $\alpha$ ) when its K.E is k/2?
  - a.  $a/\sqrt{2}$
  - b. a/2
  - c.  $a/\sqrt{3}$
  - d. a/3
- a glass slab( $\mu=1.5$ ) of thickness 6 cm is placed over a paper.what is the shift in the

#### letters?

- a. 4cm
- b. 2cm
- c. 1cm
- d. None
- 102. N type semiconductor is
  - a. +ively charged
  - b. -ively charged
  - c. Neutral
  - d. +ive or -ive depending upon doping material
- 103. Magnetic susceptibility of a diamagnetic substance
  - a. Decreases with temperature
  - b. Is not affected by temperature
  - c. Increase with temperature
  - d. 1<sup>st</sup> increase and the decreases with temperature
- 104. Two capacitors of capacitance C are connected in series if one of them is filled with dielectric substance k, what is the effective capacitance?
  - a. kC/(1+k)
  - b. (K+1)
  - c. 2Kc/1+k
  - d. None
- 105. Energy stored in stretching a string per unit volume is
  - a. (½) x stress x strain




# WWW.MEGALECTURE.COM

- b. stress x strain
- c.  $(\frac{1}{2}) \times \gamma \times (\text{strain})^2$
- d.  $(\frac{1}{2}) \times \gamma \times (\text{stress})^2$

106. The escape velocity from the earth gravitational field depends upon,

- a. Rotation of earth
- b. Mass of body
- c. Radius of earth
- d. Mass of earth



- a. Increases
- b. Decreases
- c. No effect
- d. None

108. For a refrigerator, sink temperature 280k. Efficiency required is 50% that of Carnot's.

What will be the temperature of source?

- a. 927k
- b. 1037k
- c. 1100k
- d. 1027

109. A spring (spring constant =k) is cut into 4 equal parts and two parts are connected in parallel. What is the effective spring constant?

- a. 4k
- b. 16k
- c. 8k
- d. 6k

110. If the velocity of a body becomes half the kinetic energy of the body will become

- a. One fourth
- b. Double
- c. Four time
- d. Half

111. Energy of characteristics x ray is a consequence of

- a. Energy projectile electron
- b. Thermal energy of target
- c. Transition in target atoms
- d. None
- 112. A particle is projected at an angle of 45°
  - a. R=4H



#### WWW.MEGALECTURE.COM

- b. 4R=H
- c. 2R=H
- d. None of these
- 113. An antenna is of height 500m. What will be its range (radius of earth is 6400km).
  - a. 800km
  - b. 100km
  - c. 50km
  - d. 80km
- 114. Temperature of two stars is in ratio 3; 2. If the wavelength of max intensity of 1<sup>st</sup> body is
  - 4000λ. What is corresponding wavelength of second body
    - a. 9000λ
    - b. 6000λ
    - c. 2000\lambda
    - d. 8000λ
- 115. Which frequency range is used for optical communication?
  - a. 300Mhx to3GHz
  - b. 200Mhx to3GHz
  - c. 30Mhx to3GHz
  - d. None
- 116. Which of the following is forward bias?
  - a. -5v ————5v
  - b. 0v ———2v
  - c. -1v -1.5v
  - d. None
- 117. For Em wave propagating along x axis has  $E_{max} = 30V/m$  what is max value of magnetic

field?

- a. 10<sup>-7</sup>tesla
- b. 10<sup>-8</sup>tesla
- c. 10<sup>-9</sup>tesla
- d. 10<sup>-6</sup>tesia
- 118. Two diode having resistance  $20'\Omega$  and is center tapped with potential difference 50v. if external resistance is  $980'\Omega$  what is current through resistance?
  - a. 0.05A
  - b. 0.025A
  - c. 0.25A
  - d. 0.5A
- 119. The angular velocity for daily rotation of the earth is
  - a.  $\pi/3$  Radian/hr
  - b. π/6 Radian/hr
  - c.  $\pi/12$  Radian/hr
  - d. π12Radian/hr



- 120. One curie is equal to
  - a. 3.7 x10<sup>10</sup> disintegration per second
  - b. 3.2 x10<sup>8</sup> disintegration per second
  - c. 2.8 x10<sup>10</sup> disintegration per second
  - d. None
- 121. a steel ball is dropped in oil
  - a. ball attains constant velocity after some time
  - b. ball stops
  - c. speed of ball will keep on increasing
  - d. none
- the weight of a pilot when diving down in a jet plane with an acceleration of 9.8m/s<sup>2</sup> will become:
  - a. double
  - b. half
  - c. negative
  - d. 0
- 123. Radius of one arm of hydraulic lift is four times of radius of other arm what force should be applied on narrow arm to lift 100kg?
  - a. 26.5N
  - b. 62.5N'
  - c. 6.25N
  - d. 8.3N
- 124. What is the ratio of gravitational mass and internal mass?
  - a. 1:g
  - b. g:1
  - c. 1:1
  - d. g:G
- 125. the wave front of a distant source of unknown shape is approximately
  - a. spherical
  - b. cylindrical
  - c. elleptoid
  - d. plane
- 126. the geostationary satellite are
  - a. stationary w.r.t earth
  - b. rotating with speed of earth
  - c. rotating very fast
  - d. rotating very slow



- 127. For compound microscope  $f_0 = 1$  an  $f_e = 25$  an object is placed at a distance 1.2cm from objective lens. What should be length of microscope for normal adjustment?
  - a. 8.5cm
  - b. 8.3cm
  - c. 6.5cm
  - d. 6.3cm
- 128. The gate for which output is high if at least one input is low?
  - a. Nand
  - b. Nor
  - c. And
  - d. Or
- 129. Magnetic force required demagnetizing the material
  - a. Retainingly
  - b. Coericity
  - c. Energy loss
  - d. Hysteresis
- 130.  $ML^{-1}T^{-1}$  are the dimension of :
  - a. Angular momentum
  - b. power
  - c. impulse
  - d. viscosity
- the pressure will be low where the speed of the fluid is
  - a. 0
  - b. High
  - c. Low
  - d. Constant
- 132. If  $r = 1.0 \times 10^{-4} p = 1000 \text{kgm.s}^{-3}$ ,  $\dot{\eta} = 19 \times 10^{-6} \text{kgm}^{-1} \text{s}^{-1}$  find  $v_t$  terminal velocity
  - a. 1.02 10<sup>-3</sup> m/s
  - b. 0.12 10 m,/s
  - c. 1.1m/s
  - d. 1.21m/s
- 133. A two meter high tank is full of water. A hole is made in the middle of the tank. The speed of efflux is
  - a. 4.9m/s
  - b. 9.8m/s
  - c. 4.42m/s
  - d. 3.75m/s
- 134. According to equation of continuity a1v1 =a2v2 =k the constant is equal to
  - a. Flow rate
  - b. Volume of fluid
  - c. Mass of fluid



- d. Density of fluid
- 135. Separation of flow occurs due to reduction of pressure gradient to
  - a. 0
  - b. Negligibly low value
  - c. The extent such that vapor formation starts
  - d. None
- 136. Nm<sup>-2</sup> or Pa are the units of
  - a. Stress
  - b. Strain
  - c. Modulus of elasticity
  - d. A and C
- 137. Which one of the following physical quantities does not have the dimensions of force per unit area?
  - a. Stress
  - b. Strain
  - c. Young modulus's
  - d. Pressure
- 138. Material in which valence electrons are tightly bound to their atoms at low temperature are called
  - a. Semi-conductor
  - b. Super conductor
  - c. Insulator
  - d. Conductors
- 139. The quantity which specifies the displacement as well as direction of motion in simple harmonic motion is the
  - a. Phase angle
  - b. Angular frequency
  - c. Path difference
  - d. None
- 140. Two identical wires of the same material and same length have their radii in the ratio of
  - 1; 2. The ratio of the stress produced in them for the same tension is
    - a. 1:2
    - b. 4:1
    - c. 2:1
    - d. 4:1
- 141. The Microsoft window is included in which of the following
  - a. Operating system



- b. Language
- c. Hardware
- d. Interface
- 142. In windows where is the start button?
  - a. Task bar
  - b. In my computer
  - c. Both A and B
  - d. None
- 143. In windows when some item is deleted where does it goes
  - a. My computer
  - b. My document
  - c. Recycle bin
  - d. Control panel
- 144. In windows which of the following button is used to completely turn off the computer?
  - a. Shut down
  - b. Log off
  - c. Hibernate
  - d. Restart
- 145. In windows which of the following is not in control panel?
  - a. System and security
  - b. Network and internet
  - c. Programs
  - d. All of above are present
- 146. In window the new folder can be made at which of the following locations?
  - a. In drives
  - b. On desk top
  - c. Both A and B
  - d. None
- 147. In windows, how can we open a new folder option?
  - a. By right click of mouse
  - b. Left click of mouse
  - c. Both A and B
  - d. None
- 148. In my computer window which of the following menu has select all option
  - a. File
  - b. Edit
  - c. View
  - d. None



- 149. In windows, we can change the background from which of the following option
  - a. Properties options by right click on desktop
  - b. From edit menu in my computer window
  - c. Both A and B
  - d. None
- 150. From where a computer can get a virus?
  - a. Email
  - b. Internet
  - c. Both A and B
  - d. None
- 151. Where does status bar lies on the computer window?
  - a. At the top of window
  - b. At the bottom of the window
  - c. On left side
  - d. On right side
- 152. In window add / Remove hardware option is in which of the following?
  - a. Control panel
  - b. In my computer
  - c. Right click on desk top
  - d. All of above
- 153. In computers, where does the removable storages are displayed?
  - a. In my computer
  - b. On desktop
  - c. Both A and b
  - d. None
- 154. In computer which of the following is a used to delete virus?
  - a. Antivirus
  - b. Corel
  - c. Both A and B
  - d. None
- 155. Microsoft word belongs to which of the following types of program?
  - a. Word processing program
  - b. Hardware
  - c. Operating system
  - d. None of above
- 156. Which of the following is a character of MS word?
  - a. Save document for future use
  - b. Have built in spelling checker



- c. Auto text
- d. All of above
- 157. In MS word at the very top of the screen which bar exists?
  - a. Tool bar
  - b. Status bar
  - c. Title bar
  - d. Menu bar
- 158. In ms word menu bar contains which of the following options?
  - a. File
  - b. Table
  - c. Format
  - d. All of above
- 159. Which of the following have no drop down menu in Ms Word?
  - a. File
  - b. Undo typing
  - c. Table
  - d. Format
- 160. Options on the tool bar in ms word exist in which of the followings?
  - a. Icons
  - b. File
  - c. Format
  - d. Table
- 161. Paste option in ms word is in which of the following menu?
  - a. Home
  - b. File
  - c. Format
  - d. Table
- 162. Formatting in Ms word allows you which of the following actions to your text
  - a. Changing style
  - b. Changing font
  - c. Changing size
  - d. All of above
- 163. In Ms Word when a text is copied it appears on which of the following?
  - a. Clip board
  - b. On status bar
  - c. Both A and B
  - d. None
- 164. In MS word we can add which of the following on the document



# WWW.MEGALECTURE.COM

- a. Graphs
- b. Tables
- c. Symbols
- d. All of above

165. In MS word indent and spacing can be done with which of the following option?

- a. Paragraphs
- b. Tools
- c. Edit
- d. None
- 166. In MS word if there is a grammatical mistake than which of the following line appears

under the line or words

- a. Green wavy line
- b. Red wavy line
- c. Both A and B
- d. None of these
- 167. In Ms Word which of the following is short key for copy a text?
  - a. CTRL+C
  - b. CTRL+V
  - c. CTRL +X
  - d. CTRL+Z
- 168. In Ms Word documents saved go where by default?
  - a. My computer
  - b. My documents
  - c. On desktop
  - d. None of these
- 169. In MS word where undo n redo option exist?
  - a. On tool bar
  - b. In file menu
  - c. Both A and B
  - d. None
- 170. Programmers use which of the following method to solve the problems?
  - a. Software development
  - b. Engineering and scientific methods
  - c. Systems approach
  - d. none
- there was a surprising story in the paper about the \_\_\_\_\_car was stolen
  - a. man which his
  - b. man whose his



#### WWW.MEGALECTURE.COM

- c. man that his
- d. man whose
- 172. Several times during the session the director\_\_\_\_\_ to tell his success story to other promotion officers.
  - a. Asked he
  - b. Asked who
  - c. Asked him
  - d. Asked his
- 173. When one need career couselling, go to the college career advisor
  - a. You should
  - b. it should
  - c. he should
  - d. one should
- 174. Did anybody do the work\_\_\_\_
  - a. Themselves
  - b. Him selves
  - c. His self
  - d. None
- you think can help you. 175. Take your application to the
  - a. Person whom
  - b. Person
  - c. Person who
  - d. Person which

Read the passage and answer the question given at the end of passage?

Read the passage and answer the questions given at the end of passage (5-10).

Recent advances in science and technology have made it possible for geneticists to find out abnormalities in the unborn foetus and take remedial action to rectify some defects which would otherwise prove to be fatal to the child. Though genetic engineering is still at its infancy, scientists can now predict with greater accuracy a genetic disorder. It is not yet an exact science since they are not in a position to predict when exactly a genetic disorder will set in. While they have not yet been able to change the genetic order of the gene in germs, they are optimistic and are holding out that in the near future they might be successful in achieving this feat they have however, acquired the ability in manipulating tissue cells. However, genetic misinformation can sometimes be damaging for it may adversely affect people psychologically. Genetic information may lead to a tendency to brand some people as inferiors. Genetic information can therefore be abused and its application in deciding the sex of the fetus and its subsequent abortion is now hotly debated on ethical lines. But on this issue geneticists cannot be squarely blamed though this charge has often been leveled at them. It is mainly a societal problem. At present genetic engineering is costly process of detecting disorders but scientists hoped to reduce the costs when



#### WWW.MEGALECTURE.COM

technology becomes more advanced. This is why much progress in this area has been possible in scientifically advanced and rich country like the U.S.A, U.K and Japan .It remains to be seen if in the future this science will lead to the development of a race of supermen or will be able to obliterate disease from this world.

- 176. Which of the following is the same in meaning as the phrase "holding out" as used in passage?
  - a. Catching
  - b. Expounding
  - c. Sustaining
  - d. Restraining
- 177. According to the passage the question of abortion is
  - a. Ignored
  - b. Hotly debated
  - c. Unanswered
  - d. Left to the scientists to decide
- 178. Which of the following is true regarding the reasons for progress in genetic engineering?
  - a. It has become popular to abort female fetuses
  - b. Human beings are extremely interested in heredity
  - c. Economically sound and scientifically advanced countries can provide the infrastructure for such research.
  - d. Poor countries desperately need genetic information.
- 179. Which of the following is same in meaning as the word "obliterate" as used in passage?
  - a. Wipe off
  - b. Eradicate
  - c. Give birth to
  - d. Wipe out
- 180. Which of the following is the opposite in meaning to the word "charged" as used in the passage?
  - a. Calm
  - b. Disturbed
  - c. Discharged
  - d. Settled
- 181. Agenda: conference (analogy)
  - a. Teacher: class
  - b. Agency: assignment (analogy)
  - c. Map: trip
  - d. Man: women
- 182. Manacle: male factor (analogy)



#### WWW.MEGALECTURE.COM

a. Juvenile: delinquent

b. Suave: Maniac

c. Muzzle: dog

d. Pinto: tether

183. Aerie : Eagle (analogy)

- a. Venom: rattle snake
- b. Viper:reptiles
- c. Hawk: falcon
- d. Lair: wolf
- 184. Altimeter: height (analogy)
  - a. Speedometer: speed
  - b. Observatory:constellation
  - c. Racetrack: furlong
  - d. Vessel: knots
- 185. Slipshod: organization (analogy)
  - a. Clever: shroud
  - b. Cringing: obsequious
  - c. Prodigal: generosity
  - d. Phlegmatic: emotion
- 186. Rookie synonyms
  - a. An old man
  - b. A new recruit
  - c. A fighter
  - d. A wrestler
- 187. Catharsis synchyms
  - a. Sudden
  - b. outlet for strong emotions
  - c. anti-climax
  - d. informal discussion
- 188. Adapt Antonym
  - a. Approve
  - b. Applaud
  - c. Shed
  - d. Reject
- 189. Atheist Antonym
  - a. Hypnotic
  - b. Bane
  - c. Believer



	d.	Theorist
100	u.	
190.		Generous antonym
	a.	Cruel
		Noble
	c.	Selfish
	d.	Lavish
191.		Karkey is a rental power ship.
	а.	Turkish
		Syrian
		Afghani
	d.	Iraqi
192.		According to a recent report by the united nation refugee agency is the lages
ref	uge	e-hosting country in the world
	a.	Pakistan
	b.	Afghanistan
	c.	Iraq
	d.	Turkey
193.		There are only qualified neurologist in Pakistan for the population of 180 million.
	a.	120
	b.	130
	c.	140
	d.	150
194.		Mohtarma Benazir Bhutto shaheed medical college is located in
	a.	Mirpur AJK
	b.	Hyderabad
	c.	Muzaffarabad
	d.	Karachi
195.		Who is largest provider of troops to the Afghanistan war outside NATO?
	a.	Australia
	b.	South Africa
	c.	West indies
	d.	New Zealand
196.		The World Health Organization (WHO) announced that is the largest endemic
ро	liovi	rus "reservoir" in the world.
•	a.	Lahore
	b.	Multan
	c.	Peshawar

- d. Hyderabad
- 197. Which university awarded an honorary degree of Ph.D. to Nawaz Sharif in recognition of his services for the nation?
  - a. GCU, Lahore
  - b. PU, Lahore
  - c. BZU Multan
  - d. IU Bahawalpur
- 198. Name the country that won the final of hero hockey world cup league 2014
  - a. New Zealand
  - b. Argentina
  - c. Spain
  - d. Netherland
- 199. Name country that is likely to join the world trade organization (W10) with in next three months?
  - a. Syria
  - b. Iran
  - c. Iraq
  - d. Afghanistan
- 200. When Pakistan and Saudi Arabian signed haji agreement at hajj ministry of the kingdom of Saudi Arabia?
  - a. 16/1/2014
  - b. 22/1/2014
  - c. 18/1/2014
  - d. 26/1/2014

