



A LEVEL CHEMISTRY

TOPIC 14 – REACTIONS OF PERIOD 3 ELEMENTS AND THEIR OXIDES

TEST

Answer all questions

Max 50 marks

Name		
Mark/50%	Grade

www.megalecture.com



1. (a) Write an equation for the reaction that occurs when magnesium is heated in steam.
Describe what you would observe when this reaction occurs.

Equation

Observations

.....

.....

.....

(3)

- (b) Write an equation for the reaction that occurs when sodium is heated in oxygen.
Describe what you would observe when this reaction occurs.

Equation

Observations

.....

.....

.....

(3)

(Total 6 marks)

2. Some melting points of Period 3 oxides are given in this table.

	Na ₂ O	SiO ₂	SO ₂	SO ₃
Melting point / K	1548	1883	200	290



- (a) Explain, in terms of structure and bonding, why sodium oxide has a high melting point.

.....
.....
.....
.....

(2)

- (b) Explain, in terms of structure and bonding, why sulfur trioxide has a higher melting point than sulfur dioxide.

.....
.....
.....
.....
.....
.....

(2)

- (c) Some Period 3 oxides have basic properties.

State the type of bonding in these basic oxides.
Explain why this type of bonding causes these oxides to have basic properties.

Type of bonding

Explanation

.....
.....
.....
.....



.....
.....
.....
.....

(3)

(d) Sulfur dioxide reacts with water to form a weakly acidic solution.

(i) Ions are formed when sulfur dioxide reacts with water.
Write an equation for this reaction.

.....
.....

(1)

(ii) With reference to your equation from part (d)(i), suggest why sulfur dioxide forms a weakly acidic solution.

.....
.....
.....
.....
.....

(1)

(e) Suggest why silicon dioxide is described as an acidic oxide even though it is insoluble in water.

.....
.....
.....
.....

(1)

(Total 10 marks)



3. (a) The melting points of some of the oxides formed by Period 3 elements are given in a random order below.

Oxide	A	B	C	D	E
$T_m/^\circ\text{C}$	2852	-73	1610	1275	300

- (i) Using the letters **A** to **E**, give **two** oxides which have simple molecular structures.

Explain your answer.

Oxide

1

Oxide

2

Explanation

.....

.....

- (ii) Give a simple chemical test which could be used to show which of the oxides in the table is sodium oxide. State the observation you would make.

Chemical

test

.....

.....

Observation

.....

(6)

- (b) The base calcium oxide can be used to remove sulfur dioxide from flue-gases produced when fossil fuels are burnt in coal-fired power stations. Calcium oxide is produced when calcium carbonate, is decomposed by heat.

- (i) Write an equation for the action of heat on calcium carbonate.

.....



.....

- (ii) Identify the product formed when sulfur dioxide reacts with calcium oxide.

.....

.....

- (iii) Despite the additional cost, operators of power stations are encouraged to remove the sulfur dioxide from flue-gases. Explain why this may not be environmentally beneficial.

.....

.....

.....

.....

(4)
(Total 10 marks)

4. Consider the following oxides.

Na_2O , MgO , Al_2O_3 , SiO_2 , P_4O_{10} , SO_3

- (a) Identify one of the oxides from the above which

- (i) can form a solution with a pH less than 3
- (ii) can form a solution with a pH greater than 12

(2)

- (b) Write an equation for the reaction between

- (i) MgO and HNO_3

.....

.....

- (ii) SiO_2 and NaOH

.....

.....



(iii) Na_2O and H_3PO_4

.....
.....

(3)

(c) Explain, in terms of their type of structure and bonding, why P_4O_{10} can be vaporised by gentle heat but SiO_2 cannot.

.....
.....
.....
.....
.....
.....

(4)

(Total 9 marks)

5. (a) State and explain the trend in electronegativities across Period 3 from sodium to sulfur.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(4)





- (b) Explain why the oxides of the Period 3 elements sodium and phosphorus have different melting points. In your answer you should discuss the structure of and bonding in these oxides, and the link between electronegativity and the type of bonding.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

www.megalecture.com

(6)

- (c) A chemical company has a waste tank of volume 25 000 dm³. The tank is full of phosphoric acid (H₃PO₄) solution formed by adding some unwanted phosphorus(V) oxide to water in the tank.

A 25.0 cm³ sample of this solution required 21.2 cm³ of 0.500 mol dm⁻³ sodium hydroxide solution for complete reaction.

Calculate the mass, in kg, of phosphorus(V) oxide that must have been added to the water in the waste tank.

.....



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(5)
(Total 15 marks)