

For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

A2 WAVES

Waves

1 The diagram represents a segment of a string along which a transverse wave is travelling.





_____[1]

(ii) What is the wavelength of the wave?

_____[1]

(iii) how many cycles are shown in the diagram?

_____[1]


2 The diagram shows a segment of a transverse wave drawn full scale. The frequency of this wave is 2 Hz.

Measure its amplitude and wavelength

For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

A2 WAVES

The diagrams below show a stretched slinky spring drawn to a scale 1 cm = 5 cm. Diagram A shows a section of the slinky before a wave reaches it. Diagram B shows the slinky at an instant as a wave travels through it.




For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

| 4 | The speed, c , of a transverse wave along a string or wire under tension is given by $\mathbf{c} = \sqrt{T/\mu}$, | | | | | | | |
|-------|---|--|--|--|--|--|--|--|
| | where T is the Tension in Newtons and μ is the mass per unit length in kg/m. | | | | | | | |
| | (a) Show that this equation is homogeneous. | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | [2] | | | | | | | |
| (b) | The diagram shows a wire of length 2 metres kept in tension by hanging a weight from one end. The mass per unit length for this wire is 5 g/m. If the weight that keeps the wire in tension is 0.5 Newtons. A vibrator is used to produce standing waves in the wire. | | | | | | | |
| | Pulley Wire Vibrator | | | | | | | |
| | Weights | | | | | | | |
| (i) (| calculate the speed of the transverse wave travelling along the wire when it is oscillating. | | | | | | | |
| | | | | | | | | |
| | [2] | | | | | | | |
| (ii) | Does the speed of the wave depend on the frequency at which the vibrator oscillates the wire? Explain your answer. | | | | | | | |

For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

A2 WAVES

(c) Draw diagrams to show the first four harmonics for standing waves. In each case calculate the wavelength and frequency of the standing wave. Show all working.



For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

| 5 (a) | The diagrams on the right show snapshots of successive positions of a segment of a string at intervals of 1/8 th of the period of the wave. Mark the nodes on one of the diagrams, and explain why these points are nodes. | di | $\begin{pmatrix} 4 \\ 2 \\ 0 \\ -2 \\ -4 \end{pmatrix}$ | | 30 | 50 | cms |
|----------|--|------------------|--|-------------|--------------|-------------|---------|
| | Mark the positions of the antinodes, and explain why these points are antinodes. Use the scale on the diagrams to determine the amplitude and wavelength of the standing wave. | disp. | 4 2 0 10 10 10 4 2 - | | 30 | 50 | cms |
| (d) | How many cycles are displayed in these diagrams? | sp | 0 - 2 - 10 $4 - 2 - 0$ | | 30 | 50 | cms cms |
| | | isplacement / cm | $\begin{bmatrix} -2 \\ -4 \end{bmatrix}$ $\begin{bmatrix} 4 \\ 2 \\ 0 \\ -2 \\ -4 \end{bmatrix}$ | | 39 | 59 | cms |
| (e) | If the time interval between successive dia standing wave, and hence its speed. | | - | nds, calcul | ate the freq | uency of th | e |
| | | | | | | | [3] |

For Live Classes, Recorded Lectures, Notes & Past Papers visit: www.megalecture.com

| 6 | The diagram shows a pulse, P, travelling up a heavy rope. The rope is firmly attached to a ceiling at A. Given that the speed of a transverse | |
|---|---|---|
| | wave through a string is given by ${f c}=\sqrt{{}^{\!$ | |
| | change as it moves up the rope, and if so does the speed increase or decrease. Explain your answer as fully as you can. | |
| | | |
| | A | |
| | | |
| | | |
| | | |
| | P | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | _ |