

1(a)	$h = \frac{60}{x^2}$ seen $xh = \frac{60}{x}$ seen	<b>M1</b>	
	$[A=]2x^2 + 4x \times \frac{60}{x^2} \rightarrow 2x^2 + \frac{240}{x}$ $[A=]2x^2 + 4 \times \frac{60}{x} \rightarrow 2x^2 + \frac{240}{x}$	<b>A1</b>	<b>A0</b> if any errors <b>A0</b> if any errors
1(b)	98 112	<b>2</b>	<b>B1</b> for each
1(c)	Correct smooth curve	<b>3</b>	<b>B2FT</b> for 7 or 8 points correctly plotted or <b>B1FT</b> for 5 or 6 points correctly plotted
1(d)	90 to 92	<b>1</b>	<b>FT</b> <i>their</i> minimum point provided $\leq 92$
1(e)	$x, x, h$ where $2.1 \leq x \leq 2.3$ with corresponding $h$	<b>3</b>	<b>M1</b> for a correct reading of <i>their</i> graph at $A = 120$ <b>M1</b> for $\frac{60}{(\text{their}2.2)^2}$ or $\frac{120 - 2 \times (\text{their}2.2)^2}{4 \times \text{their}2.2}$
2(a)	Ruled line through (0, 3.5) and (7, 0)	<b>2</b>	<b>B1</b> for short or unruled line or for two correct coordinates soi
2(b)	$x = 1$ $y = 3$	<b>1</b>	<b>FT</b> where their line crosses $y = x + 2$ provided it crosses on given grid
3(a)	Tangent drawn at $x = -1$	<b>B1</b>	
	-3 to -2	<b>B1</b>	Dep on close attempt at tangent at $x = -1$
3(b)	-3.9 to -3.8 0 3.8 to 3.9	<b>3</b>	<b>B1</b> for each If 0 scored, <b>M1</b> for line $y = 2$ drawn at least from $(-1, 2)$ to $(1, 2)$  If 0 scored, <b>SC1</b> for answers $(-3.9 \text{ to } -3.8, 2)$ and $(0, 2)$ and $(3.8 \text{ to } 3.9, 2)$
4(a)	4.5 oe	<b>1</b>	

5(a)	$-5.5$ or $-5\frac{1}{2}$ or $-\frac{11}{2}$	1	
5(b)	Correct smooth curve	3	<b>B2FT</b> for 6 or 7 points correctly plotted or <b>B1FT</b> for 4 or 5 points correctly plotted
5(c)	Line $y = 3$ only intersects the graph once oe	2	<b>M1</b> for $\frac{x^3}{2} - 3x - 1 = 3$ soi or $y = 3$ soi
5(d)(i)	Ruled line through (1, 1) and (-2, -1)	1	
5(d)(ii)	$\frac{2}{3}$ nfw	2	<b>M1</b> for gradient = $\frac{1+1}{1+2}$ oe
5(d)(iii)	FT reading three $x$ -values where <i>their L</i> intersects <i>their curve</i>	2	<b>B1FT</b> for two correct
6....	$[y =] x^2 - 3x$ $[y =] 2 - x^2$ $[y =] x^3 - 2$ cao	3	<b>B1</b> for each
7(a)	2.04 or 2.035 to 2.036	1	
7(b)	Correct smooth curve	3	<b>B2FT</b> for 8 or 9 points correctly plotted or <b>B1FT</b> for 6 or 7 points correctly plotted
7(c)	Tangent drawn at (1, 2.25)	<b>B1</b>	
	-2 to -1.1	<b>B1</b>	Dependent on close attempt at tangent
7(d)(i)	Ruled line through (0, 3) and (6, 0)	2	<b>B1</b> for short or unruled line or for two correct points soi or line with negative gradient passing through (0, 3)
7(d)(ii)	Reading at intersections of line with curve	2	<b>Strict FT</b> intersections of <i>their</i> line with <i>their curve</i> <b>B1FT</b> for each
7(d)(iii)	$A = -12$ $B = 8$	3	<b>B2</b> for $6x^2 - 24x + 16 [= 0]$ or $3x^2 - 12x + k [= 0]$ or $3x^2 - kx + 8 [= 0], k \neq 0$ or <b>M1</b> for using given equations to form an equation in $x$ $3 - \frac{x}{2} = \frac{x}{4} + \frac{2}{x}$ oe or $2\left(\frac{x}{4} + \frac{2}{x}\right) + x = 6$ oe

8(a)(i)	1, 2	<b>1</b>	
8(a)(ii)	Correct curve	<b>3</b>	<b>B2FT</b> for 6 or 7 points correctly plotted or <b>B1FT</b> for 4 or 5 points correctly plotted
8(a)(iii)	Tangent drawn at (2, 16)	<b>B1</b>	
	18 to 27	<b>B1</b>	Dependent on correct tangent or close attempt
8(a)(iv)(a)	$a = -60, b = 36$	<b>2</b>	<b>B1</b> for either correct or $3(4^x) - 60x + 36 [= 0]$
8(a)(iv)(b)	$y = 20x - 12$ ruled line	<b>M2</b>	<b>M1</b> for one correct coordinate soi
	0.7 to 0.8, 2.65 to 2.75	<b>B1</b>	
8(b)	$p = 1$	<b>B1</b>	
	$q = 9$	<b>B2</b>	<b>M1</b> for $[y = ] (4 - x)(x + 2)$ oe or $[y = ] q - (x - 1)^2$ oe or two correct equations in $x$ and $y$ using $(-2, 0), (4, 0)$ or $(0, 8)$ or <b>SC1</b> for $q = -9$
9(a)	-1.8	<b>1</b>	
9(b)	Correct smooth curve	<b>3</b>	<b>B2FT</b> for 8 or 9 points correctly plotted or <b>B1FT</b> for 6 or 7 points correctly plotted
9(c)	Tangent drawn at (1, 4.8)	<b>B1</b>	Dep on <u>curve</u> drawn between (0, 3) and (2, 5.4)
	1.2 to 1.6	<b>B1</b>	Dep on close attempt at tangent
9(d)(i)	Ruled line through (-2, 5) to (2, 3) crossing curve three times	<b>2</b>	<b>B1</b> for short or unruled line or for two correct coordinates soi
9(d)(ii)	-3.8 to -3.7 0.4 to 0.5 3.3 to 3.4	<b>2</b>	<b>FT</b> intersection of <i>their</i> line with <i>their</i> 'curve' <b>B1FT</b> for two correct
9(d)(iii)	$A = -25$ $B = 10$	<b>3</b>	<b>B2</b> for one correct or <b>M1</b> for $\frac{8-x}{2} = 3 + 2x - \frac{x^3}{5}$ oe
10(a)	1.25 oe	<b>1</b>	
10(b)	Correct smooth curve	<b>2</b>	<b>B1FT</b> for at least 6 points correctly plotted
10(c)	$y = -\frac{1}{5}x + 2.4$ oe final answer	<b>3</b>	<b>M1</b> for $\frac{d-b}{c-a}$ from correct $(a, b)$ and $(c, d)$ <b>M1</b> for correct method to find $y$ intercept

10(d)	line drawn through (1, 3) with negative gradient, crossing the curve twice	<b>B1</b>	
	5.8 to 6.2	<b>B1</b>	
11(a)	Acceptable justification eg Length = $\frac{18}{x}$ leading to answer <b>or</b> $y = x + x + \frac{18}{x}$	<b>1</b>	
11(b)(i)	20, 13, 20	<b>2</b>	<b>B1</b> for two correct
11(b)(ii)	Correct smooth curve	<b>3</b>	<b>B2FT</b> for 8 or 9 points correctly plotted or <b>B1FT</b> for 6 or 7 points correctly plotted
11(c)	1.6 to 1.8 and 5.2 to 5.4	<b>2</b>	<b>FT</b> reading their graph at $y = 14$ Tolerance $\pm 1$ mm <b>B1FT</b> for one correct
11(d)(i)	240	<b>2</b>	<b>B1</b> for $y = 12$ soi
11(d)(ii)	7.4 to 7.7	<b>2</b>	<b>B1</b> for 17.5 soi
12(a)	5.5, 5.5 oe	<b>1</b>	Both correct
12(b)	Correct smooth curve	<b>3</b>	<b>B2FT</b> for 8 or 9 points correctly plotted or <b>B1FT</b> for 6 or 7 points correctly plotted
12(c)	tangent drawn at $x = 1.5$	<b>B1</b>	Dependent on a curve drawn between $x = 1$ and $x = 2$
	-1.7 to -1.3	<b>B1</b>	
12(d)	$x \leq 0.6$ to $0.9$ $x \geq 5.1$ to $5.4$	<b>2</b>	<b>B1</b> for one correct or <b>SC1</b> for answers reversed
12(e)(i)	Ruled line passing through (0, 3) and (4, 0) crossing curve twice	<b>2</b>	<b>B1</b> for short or unruled line or for two correct points plotted
12(e)(ii)	$A = -9, B = -4$	<b>2</b>	<b>B1</b> for either correct or $2x^2 - 9x - 4 [=0]$ or <b>M1</b> for $\left(\frac{x^2}{2} - 3x + 2\right) = \frac{12 - 3x}{4}$ oe  After 0, <b>SC1</b> for $A = -9.2$ to $-8.8$ and $B = -4.2$ to $-3.8$
13(a)(i)	-4.5 -4.5	<b>1</b>	Both correct
13(a)(ii)	Correct smooth curve	<b>3FT</b>	<b>B2FT</b> for 8 or 9 points correctly plotted  Or <b>B1FT</b> for 6 or 7 points correctly plotted  Or <b>B1</b> for the correct scales drawn

13(a)(iii)	-2.4 to -1.6 dependent on tangent drawn	2	Accept a correctly formed $\Delta y \div \Delta x$ isw <b>B1</b> for tangent drawn at (3, 1.5)
13(a)(iv)(a)	-2ao		
13(a)(iv)(b)	-2.4 to -2.3 and 4.3 to 4.4		<b>FT</b> reading their graph at $y = their -2$ Tolerance $\pm 1$ small square  <b>B1 FT</b> for one correct
13(b)(i)	4	1	
13(b)(ii)	3	1	
13(b)(iii)	324	1	
14(a)	$\begin{aligned} & x(x+2)(10-x) \\ & = 10x^2 + 20x - x^3 - 2x^2 \\ & y = 20 + 8x - x^2 \end{aligned}$ <b>AG</b>		<b>B1</b> for $(x+2)$ and $(10-x)$ seen
14(b)	Smooth curve through 11 correct integer points		<b>B3</b> for 6 or 7 correct integer points plotted or <b>B2</b> for 4 or 5 correct integer points plotted or <b>B1</b> for 2 or 3 correct integer points plotted
14(c)	9.1 to 9.4 with $y = x$ drawn		<b>B1</b> for $y = x$ drawn or 9.1 to 9.4 with no line drawn/wrong line drawn
14(d)	-3, 6		<b>B1</b> for $5x+2$ soi  <b>M1</b> for <i>their</i> $(5x+2) = 20 + 8x - x^2$ leading to $x^2 - 3x - k$ [=0] or $x^2 - kx - 18$ [=0] or equivalent 3 term quadratic  <b>A1</b> for $(x+3)(x-6)$ [=0] or $\frac{3 \pm \sqrt{3^2 - 4 \times 1 \times -18}}{2 \times 1}$ oe or $\frac{3}{2} \pm \sqrt{\frac{81}{4}}$ oe  After A0, <b>SC1</b> for answer 6 or -3
<b>15 (a)</b>	3.75	<b>1</b>	
<b>(b)</b>	Correct curve ft	<b>2ft</b>	B1 for 4 correct plots ft
<b>(c)</b>	(0.3 to 0.5) ft	<b>2ft</b>	M1 for a reasonable tangent at $x = 2.5$
<b>(d)</b>	0 cao (3.05 to 3.25) ft	<b>2ft</b>	B1 for either
<b>(e) (i)</b>	$y = 4 - x$	<b>2</b>	M1 for $x^3 + 10x - 80 = 0 \equiv \frac{x}{20}(x^2 - 10) = ax + b$ oe
<b>(ii)</b>	L drawn on the grid ft	<b>1ft</b>	Dependent on at least 1 mark in (e)(i).
<b>(iii)</b>	(3.55) ft	<b>1ft</b>	Dependent on at least 1 mark in (e)(i).

<b>16</b>	<b>(a)</b>	0.5	<b>1</b>	
	<b>(b)</b>	Correct graph with smooth curve	<b>2</b>	<b>B1</b> for at least 4 correct points
	<b>(c)</b>	Tangent drawn and gradient = 2.3 to 3.0	<b>2</b>	<b>B1</b> for tangent drawn at $x = 4$ or <b>B1</b> for gradient 2.3 to 3.0
	<b>(d) (i)</b>	Correct method to eliminate $y$ <u>and reaching the given equation</u> without error including at least one intermediate line	<b>1</b>	
	<b>(ii)</b>	2.3 to 2.4 dep on line drawn	<b>2</b>	<b>B1</b> for $2x + y = 6$ drawn
	<b>(e) (i)</b>	$\frac{1}{3}$ or 0.33..	<b>1</b>	
	<b>(ii)</b>	Tangent gradient roughly $\frac{1}{3}$	<b>1</b>	
	<b>(iii)</b>	$y = \frac{1}{3}x + k$ oe where $0 < k < 0.25$	<b>2ft</b>	Ft from their e(i) <b>B1</b> for $\frac{1}{3}x + k$ oe where $0 < k < 0.25$ or $y = \frac{1}{3}x + k$ oe (any $k$ outside range)
<b>17</b>	<b>(a)</b>	36	<b>1</b>	
	<b>(b)</b>	Correct plots ft and curve	<b>2</b>	<b>P1</b> for 6 correct plots <b>ft</b>
	<b>(c) (i)</b>	$4 < \text{gradient} < 6$	<b>2ft</b>	<b>B1</b> for tangent at $t = 4$
	<b>(ii)</b>	Speed oe	<b>1</b>	
	<b>(d)</b>	Their 2.5	<b>2ft</b>	<b>B1</b> for their 1.8 and their 4.3
	<b>(e) (i)</b>	Their 1.65 towards Their 4.7 away from	<b>2ft</b>	<b>B1</b> for one correct <b>ft</b>
	<b>(ii)</b>	$t^2 + \frac{48}{t} - 20 = 12$ oe isw	<b>1</b>	
	<b>(iii)</b>	-32 cao	<b>1</b>	
<b>18</b>	<b>(i)</b>	4, 4 and smooth correct graph drawn	<b>3</b>	<b>B1</b> for 4 and 4 <b>B1</b> for 7 correct plots
	<b>(ii)</b>	$(y =)$ 6.2 to 6.4	<b>1</b>	
	<b>(iii)</b>	line drawn <u>and</u> $x = -0.7$ to $-0.8$ $x = 2.7$ to $2.8$	<b>2</b>	<b>M1</b> for correct line drawn
	<b>(iv)</b>	line drawn <u>and</u> $x = -2.3$ to $-2.7$	<b>2</b>	<b>M1</b> for horizontal line crossing curve at intersection of $x = 3.5$ and their curve or for the line $y = -2.75$

<b>19 (a)</b>	11 11	<b>1</b>	
<b>(b)</b>	correct scales, plots (ft) and curve	<b>3</b>	<b>P2</b> correct scales and at least 7 plots (ft) or All plots correct ft or <b>P1</b> for atleast 7 plots (ft) or Correct scales drawn
<b>(c)</b>	2 ( $\pm 0.5$ )	<b>2ft</b>	Dependent on tangent drawn at $x = 3$ <b>M1</b> for tangent at $x = 3$
<b>(d) (i)</b>	-5 cao	<b>1</b>	
<b>(ii)</b>	<b>(a)</b> -1 <b>(b)</b> 5	<b>2</b>	<b>B1</b> for either
<b>(e)</b>	(0.6) (3.4)	<b>3ft</b>	<b>B1</b> for $x^2 - 4x - 1 = -3$ soi and <b>B1</b> for the line $y = -3$ or <b>M1</b> for $x^2 - 4x - 1 = k$ and <b>A1</b> for the line $y = k$  <b>SC3</b> for 0 for new curve drawn
<b>20 (a)</b>	$[L =] \quad 2\left(x + \frac{50}{x}\right)$ or $2x + 2\frac{50}{x}$ or $x + x + \frac{50}{x} + \frac{50}{x}$	2	<b>B1</b> for $\frac{50}{x}$ seen
<b>(b)</b>	41.5 to 41.6, 45	2	<b>B1</b> for one correct
<b>(c)</b>	Correct smooth curve through the eight given points correctly plotted on correctly scaled axes	3	$\pm$ half a small square <b>B2</b> for seven or eight of the given points correctly plotted on <i>their</i> axes or <b>B1</b> for six of the given points correctly plotted on <i>their</i> axes
<b>(d)</b>	2.8 to $3.2 < x < 16.8$ to 17.2	B1 B1	<b>M1</b> for attempt to read off two $x$ values at $y = 40$
<b>(e) (i)</b>	$27.5 < \text{answer} < 28.5$	1	
<b>(ii)</b>	7, 7 cao	1	
<b>(f)</b>	10, 10 cao	1	