1 What are the relative formula masses of one mole of solid magnesium and one mole of gaseous chlorine?


	magnesium	chlorine
Α	12	17
В	24	35.5
С	24	71
D	48	71

2 Complete combustion of a hydrocarbon produces only carbon dioxide, CO<sub>2</sub>, and water, H<sub>2</sub>O.

$$C_5H_{12}(I) + 8O_2(g) \rightarrow 5CO_2(g) + 6H_2O(g)$$

When 0.1 mol of the hydrocarbon C5H12 is completely combusted, which volume of carbon dioxide, measured at room temperature and pressure, is produced?

- 0.5 dm<sup>3</sup>
- **B** 2.4 dm<sup>3</sup>
- C 5.0 dm<sup>3</sup>
- 3 Calcium carbonate reacts with dilute hydrochloric acid to produce carbon dioxide. The carbon dioxide is collected using the apparatus shown.



The reaction is done four times. For each reaction, 25g of calcium carbonate and an excess of hydrochloric acid are used.

Which reaction mixture fills the gas syringe with carbon dioxide in the shortest time?

- A lumps of calcium carbonate with 1 mol/dm3 hydrochloric acid
- B lumps of calcium carbonate with 2 mol/dm3 hydrochloric acid
- C powdered calcium carbonate with 1 mol/dm³ hydrochloric acid
- D powdered calcium carbonate with 2 mol/dm³ hydrochloric acid
- **4** A compound contains 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.

The relative molecular mass of the compound is between 55 and 65.

What is the molecular formula of the compound?

- A CH<sub>2</sub>O
- **B**  $C_2H_4O$  **C**  $C_2H_4O_2$
- $D C_2H_6O_2$

- 5 Which fertilizer contains the highest percentage of nitrogen by mass?
  - A ammonium nitrate, NH<sub>4</sub>NO<sub>3</sub>; formula mass is 80
  - **B** ammonium phosphate, (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>; formula mass is 149
  - **C** ammonium sulfate, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>; formula mass is 132
  - D potassium nitrate, KNO<sub>3</sub>; formula mass is 101
- 6 Iron can be extracted from the ore haematite, Fe<sub>2</sub>O<sub>3</sub>.

What is the maximum mass of iron that could be produced from 500 kg of haematite?  $[A_r: 0, 16; Fe, 56]$ 

A 160 kg

**B** 240 kg

C 350 kg

D 420 kg

7 When 1 volume of gas R reacts with exactly 5 volumes of oxygen, it forms carbon dioxide and water only.

What is R?

- A butane, C<sub>4</sub>H<sub>10</sub>
- B ethane, C2H6
- C methane, CH4
- D propane, C<sub>3</sub>H<sub>8</sub>
- 8 Two characteristics of a gas, G, are given.
  - G reduces copper(II) oxide to a pink-brown solid.
  - 1.4g of G has a volume of 1.2 dm³ at room temperature and pressure.

What is G?

- A carbon monoxide, CO
- B hydrogen, H<sub>2</sub>
- C nitrogen, N<sub>2</sub>
- D nitrogen monoxide, NO
- 9 The relative formula masses of four compounds are given9

A student has a 1.0g sample of each compound.

Which sample contains the highest number of moles of oxygen atoms?

	compound	relative formula mass
Α	A1 <sub>2</sub> O <sub>3</sub>	102
В	CuO	80
С	H <sub>2</sub> SO <sub>4</sub>	98
D	HNO <sub>3</sub>	63

10 What are the percentages by mass of nitrogen in ammonium nitrate, NH<sub>4</sub>NO<sub>3</sub>, and in calcium nitrate, Ca(NO<sub>3</sub>)<sub>2</sub>?

8	% nitrogen in NH₄NO₃	% nitrogen in Ca(NO <sub>3</sub> ) <sub>2</sub>
Α	18	14
В	18	17
C	35	9
D	35	17

1	1 Th	ne relative moleci	ular n	nass of a comp	ound	is 166.					
	W	hat is a possible	mole	cular formula o	f this	compound	?				
	Α	C <sub>4</sub> H <sub>3</sub> O <sub>2</sub>	В	C <sub>6</sub> H <sub>4</sub> O <sub>4</sub>	С	C <sub>6</sub> H <sub>8</sub> O <sub>2</sub>	D	C <sub>8</sub> H <sub>6</sub> O <sub>4</sub>			
1:		mass of 63g of g of ethanol, C <sub>2</sub> l					, is nee	ded for th	e complete	e oxidatio	n of
		ow many mo otassium mangan		of ethanol /II) under these	can e cond		pletely	oxidised	by on	e mole	of
	A	0.37	В	0.80	С	1.00	D	1.25			
1	3	The compo	und	s shown ca	an h	e used	as niti	odeno	us fertili	sers	
		Which comp						-			n?
					1000	est per	cinaç	C Dy III	1033 01 1	illoge	11:
				$[M_r: 60]$					<b>(</b> 2)		
		SHAP A SAMARAN AND AND RES		[M <sub>r</sub> : 132]							
				[M <sub>r</sub> : 149]							
		<b>D</b> NH₄NO	3 [/	<i>M</i> <sub>r</sub> : 80]							
	14	The compou	und	magnesium	nitra	ite has th	ne form	iula Mg(	NO <sub>3</sub> ) <sub>2</sub> .		
		What is the	rola	tivo formula	mac	s of mad	nociur	n nitrata	.2		
		What is the	reia	live lomiula	IIIas	S OI IIIag	riesiui	II IIIIIale	i f		
		<b>A</b> 86	•	<b>B</b> 134	4		C 14	18	D	172	
	15	In athletics, ban Nandrolone has					been ta	aken illega	ally to impr	ove perfo	rmance.
		What is the rela	tive n	nolecular mass	, <i>M</i> <sub>r</sub> , c	of nandrolo	ne?				
		(Relative atomic	mas	s: H = 1; C =	12; (	) = 16)					
		A 46	ı	<b>3</b> 150		C 274		<b>D</b> 306			
1	6	The equation sh	ows t	he thermal de	comp	osition of r	nagnesi	um carboi	nate (M <sub>r</sub> =	84).	
				Mg	JCO <sub>3</sub>	→ MgO	+ CO <sub>2</sub>				
		/hich mass of mecomposed?	agne	sium oxide is f	forme	d when 21	.0g of r	nagnesiur	m carbona	te are co	mpletely
	A		В	4.0 g	С	10.0g		<b>D</b> 40.0	a		
	^	1.0 g		y	·	10.09		→ →0.0	3		

17 The relative atomic mass of chlorine is 35.5.

What is the mass of 2 moles of chlorine gas?

- A 17.75g
- B 35.5g
- C 71g
- D 142g

18 The empirical formula of a liquid compound is C<sub>2</sub>H<sub>4</sub>O.

To find the empirical formula, it is necessary to know

- A the density of the compound.
- B the percentage composition by mass of the compound.
- C the relative molecular mass of the compound.
- D the volume occupied by 1 mole of the compound.
- 19 25.0 g of hydrated copper(II) sulfate crystals are heated to produce anhydrous copper(II) sulfate and water vapour.

$$CuSO_4.5H_2O(s) \rightarrow CuSO_4(s) + 5H_2O(g)$$

What is the mass of anhydrous copper(II) sulfate formed?

[Mr: CuSO<sub>4</sub>, 160; H<sub>2</sub>O, 18]

- A 9.0g
- B 16.0 q
- C 22.5g
- D 25.0g
- 20 One mole of an organic compound, Q, is completely burnt in oxygen and produces exactly three moles of water.

Which compound is Q?


- A butane, C<sub>4</sub>H<sub>10</sub>
- B ethanol, C<sub>2</sub>H<sub>5</sub>OH
- C propane, C<sub>3</sub>H<sub>8</sub>
- D propanol, C<sub>3</sub>H<sub>7</sub>OH

- 21 Which sample contains the most atoms
  - A 0.5 moles of water
  - B 1.0 moles of carbon dioxide
  - C 1.0 moles of methane
  - D 2.0 moles of hydrogen chloride
  - 22 In an experiment, 1 mol of powdered copper and 1 mol of powdered zinc are placed in a flask.

Dilute acid, containing 1 mol of acid, is added to the flask.

The flask is left until all the reactions, if any, are complete.

Which diagram shows the result of the experiment?



23 Magnesium reacts with dilute sulfuric acid.

$$Mg(s) + H2SO4(aq) \rightarrow MgSO4(aq) + H2(g)$$


Two experiments were carried out.

experiment 1 24.0 g of magnesium was reacted with 100 cm<sup>3</sup> of 1.0 mol/dm<sup>3</sup> sulfuric acid.

experiment 2 24.0 g of magnesium was reacted with 50 cm3 of 2.0 mol/dm3 sulfuric acid.

In each experiment the volume of hydrogen was measured at various times. The results were plotted on a graph.

Which graph is correct?



24 A compound contains 70% by mass of iron and 30% by mass of oxygen.

What is its empirical formula?

[A<sub>r</sub>: O, 16; Fe, 56]

A FeO

B Fe<sub>2</sub>O<sub>3</sub>

C Fe<sub>3</sub>O<sub>2</sub>

D Fe<sub>3</sub>O<sub>4</sub>

25 The formula for hydrated copper(II) nitrate is  $Cu(NO_3)_2.xH_2O$ . It contains 36.5% water of crystallisation by mass.

What is the value of x?

[A<sub>r</sub>: H, 1; N, 14; O, 16; Cu, 64]

A 4

**B** 5

**C** 6

D 7

26 At the start of a reaction, a 1.00 dm<sup>3</sup> solution contains 0.300 mol of ethanol.

After 100 seconds the concentration of the ethanol has decreased to 0.296 mol/dm<sup>3</sup>.

What is the rate of reaction over the first 100 seconds?

- **A**  $2.96 \times 10^{-3} \text{ mol/dm}^3/\text{s}$
- **B**  $3.00 \times 10^{-5} \text{mol/dm}^3/\text{s}$
- **C**  $4.00 \times 10^{-5} \text{ mol/dm}^3/\text{s}$
- **D**  $8.00 \times 10^{-5} \text{mol/dm}^3/\text{s}$
- 27  $50.0\,\mathrm{cm^3}$  of  $0.10\,\mathrm{mol/dm^3}$  silver nitrate, AgNO<sub>3</sub>, is added to  $150.0\,\mathrm{cm^3}$  of  $0.05\,\mathrm{mol/dm^3}$  sodium chloride, NaC l, in a beaker.

As well as solid silver chloride, what is present in the beaker after reaction?

- A aqueous silver nitrate and aqueous sodium nitrate
- B aqueous sodium chloride and aqueous sodium nitrate
- C aqueous sodium chloride only
- D aqueous sodium nitrate only
- 28 Nitrogen monoxide and oxygen react to form nitrogen dioxide.

$$2NO(g) + O_2(g) \rightarrow 2NO_2(g)$$

What is the maximum volume of nitrogen dioxide that could be obtained when 1 dm³ of nitrogen monoxide reacts with 2 dm³ of oxygen?

- A 1dm<sup>3</sup>
- B 2dm<sup>3</sup>
- C 3 dm<sup>3</sup>
- D 4dm<sup>3</sup>
- 29 What is the definition of relative atomic mass,  $A_r$ ?
  - A  $\left(\frac{\text{average mass of naturally occurring atoms of an element}}{\text{mass of one atom of}}\right) \times 12$
  - B (average mass of naturally occurring atoms of an element mass of one atom of <sup>12</sup>C × 12
  - c (average mass of naturally occurring atoms of an element)
    mass of one atom of <sup>12</sup>C
  - D mass of one atom of <sup>12</sup>C average mass of naturally occurring atoms of an element

30	A c	compound conta	ining	only the	elements o	arbon and	l hydrogen	has 80.0%	% by mass of c	arbon.
	Wh	nat is its empirica	al for	mula?						
	Α	C₃H	В	CH <sub>3</sub>	С	CH <sub>4</sub>	D	C <sub>2</sub> H <sub>6</sub>		
31		an experiment, mbustion to give								omplete
	Wh	nich formula repr	eser	its <b>Z</b> ?						
		$C_2H_2$	В		С	C <sub>3</sub> H <sub>4</sub>	D	C <sub>3</sub> H <sub>8</sub>		
32		mpound <b>P</b> is the ume of carbon di							as react with or	ne
	Wh	nat is the formula	of P	?						
	A	NH <sub>2</sub> CO <sub>2</sub> NH <sub>4</sub>						.0		
	В	(NH <sub>2</sub> ) <sub>2</sub> CO					•			
	C	NH <sub>4</sub> CO <sub>2</sub> NH <sub>4</sub>					X			
	D	(NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub>					0			
33	Tw	o isotopes of chl	orine	are 35Cla	and <sup>37</sup> Cl.					
	Using these isotopes, how many different relative molecular masses are possible for						or the			
	cor	mpound with mol	ecula	ar formula		27				
	Α	2	В	3	C	4	D	5		
				16						
			5							
34	A	n organic con	npo	und has	the mole	ecular fo	rmula C <sub>8</sub>	H <sub>16</sub> O <sub>4</sub> .		
	W	/hat is the em	pirio	cal form	ula of the	compo	und?			
	A	C <sub>2</sub> H <sub>4</sub> O		ВС	<sub>4</sub> H <sub>8</sub> O <sub>2</sub>	C	C <sub>o</sub> H <sub>do</sub> C	) <sub>a</sub>	<b>D</b> C <sub>8</sub> H <sub>16</sub> C	),
		02.140			4. 1002		0011120	-3	2 08.1100	-4
35		e equation show	vn re	epresents	the neutra	alisation o	f aqueous	sodium h	ydroxide with	dilute
	sul	furic acid.								
			2Na	OH(aq) +	H <sub>2</sub> SO <sub>4</sub> (aq	$\rightarrow Na_2S$	$O_4(aq) + 1$	$2H_2O(I)$		
	Ho	w much sulfuric a	acid i	s required	to neutrali	se 100 cm	of 1.0 mol	/dm³ NaO	H?	
	A	50 cm <sup>3</sup> of 2.0 m								
	В	100 cm <sup>3</sup> of 1.0 r								
	С	25 cm <sup>3</sup> of 0.5 m								
	D	50 cm <sup>3</sup> of 1.0 m	ol/d	m³ sulfurio	acid					

- 36 What is the number of moles of hydrogen atoms in 3.2g of methane?
  - A 0.02
- B 0.2
- C 0.4
- D 0.8

37 The formula of the gas ozone is O3.

What is the volume of 48 g of ozone at r.t.p.?

- A 16dm<sup>3</sup>
- B 24dm<sup>3</sup>
- C 36 dm<sup>3</sup>
- D 72 dm<sup>3</sup>
- 38 What is the relative molecular mass, M<sub>r</sub>, of CuSO<sub>4</sub>.5H<sub>2</sub>O?
  - A 127
- **B** 160
- C 178
- **D** 250
- 39 1.00 dm<sup>3</sup> of ammonia gas is passed over heated copper(II) oxide.

$$3CuO(s) + 2NH_3(g) \rightarrow 3Cu(s) + N_2(g) + 3H_2O(I)$$

What is the volume of nitrogen formed when measured at the same temperature and pressure as the ammonia?

- **A**  $0.25\,\mathrm{dm}^3$
- **B**  $0.50\,\mathrm{dm}^3$
- C 1.00 dm<sup>3</sup>
- **D**  $2.00\,\mathrm{dm}^3$
- 40 Using the Periodic Table for the relative atomic masses, which has the least mass?
  - A 0.1 moles of silicon dioxide, SiO<sub>2</sub>
  - B 0.5 moles of oxygen, O<sub>2</sub>
  - C 0.5 moles of lithium, Li
  - D 1.0 moles of ammonia, NH<sub>3</sub>
  - 41 The table shows the numbers of atoms present in the formula of some compounds.

Which row is not correct?

	numbers of atoms	formula
A	1 × calcium, 1 × carbon, 3 × oxygen	CaCO <sub>3</sub>
В	$1 \times$ carbon, $5 \times$ hydrogen, $1 \times$ oxygen	C <sub>2</sub> H <sub>5</sub> OH
C	$1 \times$ hydrogen, $1 \times$ oxygen, $1 \times$ sodium	NaOH
D	2 × hydrogen, 4 × oxygen, 1 × sulfur	H <sub>2</sub> SO <sub>4</sub>

- 41 Using the Periodic Table for the relative atomic masses, which has the greatest mass?
  - A 0.1 moles of iodine molecules, I2
  - B 0.5 moles of carbon dioxide, CO<sub>2</sub>
  - C 1.0 mole of beryllium oxide, BeO
  - D 1.0 mole of sodium, Na
- 42 Ammonia is manufactured from nitrogen and hydrogen by the Haber process.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

What is the percentage yield when 60 kg of ammonia is produced from 60 kg of hydrogen?

- A 5.9%
- B 17.6%
- C 35.3%
- D 50.0%
- 43 What is the relative molecular mass, M<sub>r</sub>, of CuSO<sub>4.5</sub>H<sub>2</sub>O?
  - A 127
- B 160
- C 178
- D 250

#### Mole: MCQS 5070

#### **Marking KEY**

1	.C	27.B
	••	<b>41.</b> D

2.D 28.A

3.D 29.A

4.C 30.B

**5.A 31.C** 

6.C 32.A

**7.D 33.**C

8.A 34.A

9.C 35.D

10.C 36.D

11.D 37.B

12.D 38.D

13.B 39.B

**14.C 40.C** 

15.C 41.A

16.C 42.B

17.D 43.D

18.B

19.B

**20.B** 

**21.**C

**22.A** 

**23.**C

24.B

**25.**C

**26.**C